



**SEASIDE**  
LANDSCAPE LIGHTING



316 MARINE  
GRADE  
STAINLESS STEEL  
RANGE

3

SOLID  
COPPER  
RANGE

16

SOLID  
BRONZE  
RANGE

30

SOLID  
BRASS  
RANGE

34

SOLAR LED  
BOLLARDS

41

LED  
STRIPS

42

ADJUSTABLE LED DOWNLIGHT

43

DIMMABLE LED LAMPS

44

LED DRIVERS

46

PRODUCT SPECIFICATIONS & WARRANTY

48

TERMS & CONDITIONS

50

---

Our products are all made from the highest quality non-corrosive materials including 316 marine grade stainless steel, solid copper, solid bronze and cast brass — allowing them to be installed in coastal areas where they can endure the harshest of environments such as salt air.

---

The Seaside Lighting range has been made to meet the ever-changing needs of the lighting industry. Through extensive research and development by our experienced staff we have been able to ensure high standards of quality and innovation for both home and commercial applications.

---

Our sales team is committed to providing the highest level of customer service and fast delivery.


---

All of our products come with a warranty against corrosion.

---




# 316 MARINE GRADE STAINLESS STEEL RANGE



## S211S Nambucca

LAMP	WATTAGE	VOLTAGE	IP
LED Module	50Wmax	12V	20


- Adjustable recessed internal/external downlight
- 316 marine grade stainless steel body
- Comes with heat shield canister
- Lamp and driver sold separately
- Recommended lamp 9W LED Module (SSMOD9453000)
- Hole cutout size: 90mm
- 5 year corrosion warranty



## S211S/CAN Cylinders

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	20


- Surface mounted adjustable downlight canister
- 316 marine grade stainless steel canister
- Lampholder: GU10
- Recommended lamp GU10 (SSGU105603000)
- 5 year corrosion warranty



### S203S Clovelly

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	65


- Adjustable spotlight
- Solid 316 marine grade stainless steel body
- Solid 316 marine grade stainless steel base
- Recommended lamp 5W COB LED (SSGU105603000)
- 5 year corrosion warranty



### S222S Lindeman

LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	65

- Adjustable spotlight
- Solid 316 marine grade stainless steel body
- Solid 316 marine grade stainless steel base
- Recommended lamp 5W COB LED (SSMR165603000)
- 5 year corrosion warranty



### S225S Whitehaven


LAMP	WATTAGE	VOLTAGE	IP
GU10	2x50Wmax	240V	65

- Adjustable twin spotlight
- Solid 316 marine grade stainless steel body
- Solid 316 marine grade stainless steel base
- Recommended lamp 2 x 5W LED (SSGU105603000)
- 5 year corrosion warranty










S212S Botany

LAMP	WATTAGE	VOLTAGE	IP
GU10	35Wmax	240V	54

- Wedge wall light with frosted glass diffuser
- 316 marine grade stainless steel body
- Recommended lamp 5W COB LED (SSGU105603000)
- 5 year corrosion warranty






CE IP65

### S204S Noosa

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	65

- Fixed wall downlight
- Solid 316 marine grade stainless steel body
- Solid 316 marine grade stainless steel base
- Recommended lamp 5W COB LED (SSGU105603000)
- 5 year corrosion warranty




CE IP65

### S221S Hayman

LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	65

- Fixed wall downlight
- Solid 316 marine grade stainless steel body
- Solid 316 marine grade stainless steel base
- Recommended lamp 5W COB LED (SSMR165603000)
- 5 year corrosion warranty




CE IP65

### S205S Durras

LAMP	WATTAGE	VOLTAGE	IP
GU10	2x20Wmax	240V	65

- Fixed up-down wall light
- Solid 316 marine grade stainless steel body
- Solid 316 marine grade stainless steel base
- Recommended lamp 5W COB LED (SSGU105603000)
- 5 year corrosion warranty



CE IP65

### S220S Hamilton

LAMP	WATTAGE	VOLTAGE	IP
MR16	2x20Wmax	12V	65


- Fixed up-down wall light
- Solid 316 marine grade stainless steel body
- Solid 316 marine grade stainless steel base
- Recommended lamp 5W COB LED (SSMR165603000)
- 5 year corrosion warranty



### S206S Curl Curl

LAMP	WATTAGE	VOLTAGE	IP
MR16	20Wmax	12V	54


- Recessed wall light with anti-glare honeycomb lens
- Solid 316 marine grade stainless steel face
- Solid 316 marine grade stainless steel body
- Recommended lamp 5W COB LED (SSMR165603000)
- 5 year corrosion warranty
- Hood sold separately: code: S206SHOOD



### S227S Esperance

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	3W	12V DC	65


- LED wall light/step light
- 316 marine grade stainless steel body
- 3000K
- 240lm
- Requires constant voltage driver
- 5 year corrosion warranty



### S210S Wooli

LAMP	WATTAGE	VOLTAGE	IP
G9	25Wmax	240V	54

- Surface mounted wall light/step light with frosted glass diffuser
- 316 marine grade stainless steel body
- Lampholder: G9
- Recommended lamp 3.5W LED (SSG9WW)
- 5 year corrosion warranty



### S213S Coolangatta

LAMP	WATTAGE	VOLTAGE	IP
G4 bi-pin	20Wmax	12V	54

- Surface mounted wall light/step light with frosted glass diffuser
- 316 marine grade stainless steel body
- Lampholder: G4
- Recommended lamp 3.2W (SSG43.2WW)
- 5 year corrosion warranty



### S228S Narrabeen

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	1W	12V DC	65

- Mini Recessed round wall/step light with eyelid
- 316 marine grade stainless steel face and body
- 3000K
- 80lm
- Cutout: 33mm without canister, 46mm with canister. Height of canister: 90mm
- 5 year corrosion warranty




### S229S Hyams

LAMP	WATTAGE	VOLTAGE	IP
MR16	5Wmax	12V	65

- Recessed round wall/step light with eyelid
- 316 marine grade stainless steel face and body
- Cutout: 63mm without canister, 87mm with canister. Height of canister: 125mm
- Recommended lamp 5W COB LED (SSMR165603000)
- 5 year corrosion warranty








LED ONLY

CE IP65



LED ONLY

CE IP65

S407S Lorne

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	3W	12V DC	65


- LED wall light/step light
- 316 marine grade stainless steel body
- 3000K
- 240lm
- Requires Constant Voltage 12V DC Driver
- 5 year corrosion warranty

S409S Angourie

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	2x3W	12V DC	65

- LED up/down wall light/step light
- 316 marine grade stainless steel body
- 3000K
- 480lm
- Requires Constant Voltage 12V DC Driver
- 5 year corrosion warranty






### S214S Avalon

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	2x6W	Low voltage	65

- LED up/down wall light
- 316 marine grade stainless steel
- 3000K
- 960lm
- 350mA constant current driver required
- Fitting must be wired in series
- Registered Design Number 344474
- 5 year corrosion warranty



### S216S Bilgola

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	2x6W	Low voltage	65


- LED up/down wall light
- 316 marine grade stainless steel
- 4000K
- 1284lm
- Requires 20W 350mA constant current driver per fitting
- Fitting must be wired in series
- Registered Design Number 344474
- 5 year corrosion warranty








LED ONLY



LED ONLY



### S201S Kiama

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	5x0.3W	12V DC	67

- Kit of 5 x deck lights, LED driver & 10 metre lead
- Square 316 marine grade stainless steel face with frosted lens, PC body & spring clips
- 3000K
- 5 x 18lm
- 5 year corrosion warranty

### S215S Brighton

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	5x0.3W	12V DC	67

- Kit of 5 x deck lights, LED driver & 10 metre lead
- Round 316 marine grade stainless steel face with frosted lens, PC body & spring clips
- 3000K
- 5 x 18lm
- 5 year corrosion warranty






### S223S Cable

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	3W	12V DC	67

- Mini recessed in-ground/deck/wall/step light with frosted lens, 1m lead, spring clips and plastic sleeve
- 316 marine grade stainless steel cover and body
- 3000K
- 240lm
- Cutout: 36mm without sleeve, 47mm with sleeve. Height of sleeve: 80mm
- 5 year corrosion warranty



### S202S Balmoral

LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	65

- In-ground adjustable uplighter
- 316 marine grade stainless steel cover and body with PVC sleeve
- Recommended lamp 5W COB LED (SSMR165603000)
- Diameter: 150mm
- 5 year corrosion warranty



### S226S Sorrento

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	25W	12V DC	67


- In-ground adjustable uplighter
- 316 marine grade stainless steel cover, anodised aluminium body, PVC sleeve
- Tilt: 25°
- 3000K
- 2520lm
- Diameter: 242mm
- 5 year corrosion warranty



### S224S Orpheus

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	25W	240V	67


- In-ground adjustable uplighter
- 316 marine grade stainless steel cover, anodised aluminium body, PVC sleeve
- Tilt: 25°
- 3000K
- 2520lm
- Diameter: 242mm
- 5 year corrosion warranty



### S217S Mollymook

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	6W	12V DC	67


- LED bollard area light with anti-glare design and flange base
- 316 marine grade stainless steel body
- 316 marine grade stainless steel base
- 3000K
- 420lm
- 5 year corrosion warranty



### S218S Tuncurry

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	6W	12V DC	67


- LED bollard area light with anti-glare design and spike base
- 316 marine grade stainless steel base
- Cast brass spike
- 3000K
- 420lm
- 5 year corrosion warranty



### S208S Collaroy

LAMP	WATTAGE	VOLTAGE	IP
MR16	35Wmax	12V	65

- Adjustable ground-mounted spike spotlight
- Solid 316 marine grade stainless steel body
- Solid 316 marine grade stainless steel spike
- Recommended lamp 5W COB LED (SSMR165603000)
- 5 year corrosion warranty



### S207S Bungan



LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	68

- Underwater pond light with adjustable bracket and 2m anti-leach cable
- 5mm tempered glass, silicone sealed gasket
- Recommended lamp 5W COB LED (SSMR165603000)
- 5 year corrosion warranty






# SOLID COPPER RANGE



CE IP20



CE IP20

## S117C Avoca


LAMP	WATTAGE	VOLTAGE	IP
LED Module	50Wmax	12V	20

- Adjustable recessed internal/external downlight
- Solid copper face with 316 marine grade stainless steel body
- Comes with heat shield canister
- Lamp and driver sold separately
- Recommended lamp 9W LED Module (SSMOD9453000)
- Hole cutout size: 90mm
- 10 year corrosion warranty

## S117C/CAN Shelley

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	20


- Surface mounted adjustable downlight canister
- Solid copper canister
- Lampholder: GU10
- Recommended lamp GU10 (SSGU105603000)
- 10 year corrosion warranty



### S106C Newport 1

LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	54


- Adjustable wall downlight
- Solid copper body
- Solid copper base
- Anti-glare honeycomb lens
- Internal heat shield lowers temperature and extends lamp life
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty



### S107C Newport 2

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	54

- Adjustable wall downlight
- Solid copper body
- Solid copper base
- Anti-glare honeycomb lens
- Internal heat shield lowers temperature and extends lamp life
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty



### S123C Wooyung


LAMP	WATTAGE	VOLTAGE	IP
GU10	2x50Wmax	240V	54

- Adjustable wall twin downlight
- Solid copper body
- Solid copper base
- Anti-glare honeycomb lens
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty










CE IP54

### S102C Bronte 1

LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	54

- Fixed wall downlight
- Solid copper body
- Solid copper base
- Anti-glare honeycomb lens
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty





CE IP54

### S103C Bronte 2

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	54

- Fixed wall downlight
- Solid copper body
- Solid copper base
- Anti-glare honeycomb lens
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty





CE IP54

### S104C Bondi 1

LAMP	WATTAGE	VOLTAGE	IP
MR16	2x20Wmax	12V	54

- Fixed up/down wall light
- Solid copper body
- Solid copper base
- Anti-glare honeycomb lens
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty




CE IP54

### S105C Bondi 2

LAMP	WATTAGE	VOLTAGE	IP
GU10	2x20Wmax	240V	54

- Fixed up/down wall light
- Solid copper body
- Solid copper base
- Anti-glare honeycomb lens
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty




CE IP65

### S126C Moreton

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	65

- Fixed wall downlight
- Solid copper body
- Solid copper base
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty




CE IP65

### S127C Portsea

LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	65

- Fixed wall downlight
- Solid copper body
- Solid copper base
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty




CE IP65

### S124C Stradbroke

LAMP	WATTAGE	VOLTAGE	IP
GU10	2x20Wmax	240V	65

- Fixed up/down wall light
- Solid copper body
- Solid copper base
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty




CE IP65

### S125C Lennox

LAMP	WATTAGE	VOLTAGE	IP
MR16	2x20Wmax	12V	65


- Fixed up/down wall light
- Solid copper body
- Solid copper base
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty



### S128C Tallow

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	65

- Adjustable spotlight
- Solid copper body
- Solid copper base
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty



### S129C Bunbury

LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	65

- Adjustable spotlight
- Solid copper body
- Solid copper base
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty






### S133C Merewether

LAMP	WATTAGE	VOLTAGE	IP
GU10	2x50Wmax	240V	65


- Adjustable twin spotlight
- Solid copper body
- Solid copper base
- Recommended lamp 2 x 5W LED (SSGU105603000)
- 10 year corrosion warranty



### S108C Wanda

LAMP	WATTAGE	VOLTAGE	IP
MR16	20Wmax	12V	54

- Recessed wall light
- Solid copper body
- Solid brass face
- Anti-glare honeycomb lens
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty
- Hood sold separately: code: S108C HOOD



### S135C Redbill

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	3W	12V DC	65

- LED wall light/step light
- Solid copper body
- 3000K
- 240lm
- 10 year warranty against corrosion
- Requires constant voltage driver



### S136C Torakina

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	1W	12V DC	65

- Mini recessed round wall/step light with eyelid
- Solid copper face and body
- 3000K
- 80lm
- Cutout: 33mm without canister, 46mm with canister. Height of canister: 90mm
- 10 year warranty against corrosion



### S137C Flinders

LAMP	WATTAGE	VOLTAGE	IP
MR16	5Wmax	12V only	65

- Recessed round wall/step light with eyelid
- Solid copper face and body
- Cutout: 63mm without canister, 87mm with canister. Height of canister: 125mm
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty



### S114C Kingscliff

LAMP	WATTAGE	VOLTAGE	IP
G9	25Wmax	240V	54


- Surface mounted wall light/step light with frosted glass diffuser
- Solid copper body
- Lampholder: G9
- Recommended lamp 3.5W LED (SSG9WW)
- 10 year corrosion warranty



### S120C Cabarita

LAMP	WATTAGE	VOLTAGE	IP
G4 bi-pin	20Wmax	12V	54

- Surface mounted wall light/step light with frosted glass diffuser
- Solid copper body
- Lampholder: G4 bi-pin
- Recommended lamp 3.2W (SSG43.2WW)
- 10 year corrosion warranty




CE IP54

### S116C Coogee

LAMP	WATTAGE	VOLTAGE	IP
GU10	35Wmax	240V	54

- Wedge wall light with frosted glass diffuser
- Solid copper body
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty




CE IP54

### S112C Belongil

LAMP	WATTAGE	VOLTAGE	IP
E27	60Wmax	240V	54

- Decorative wall light with a clear glass lens
- Solid copper body
- 10 year corrosion warranty




CE IP23

### S118C Bells

LAMP	WATTAGE	VOLTAGE	IP
E27	100Wmax	240V	23

- Decorative wall bracket
- Solid copper shade
- Brass bracket
- 10 year corrosion warranty






CE IP23 F

### S122C St Kilda

LAMP	WATTAGE	VOLTAGE	IP
E27	100Wmax	240V	23

- Decorative pendant
- Solid copper shade
- Brass chain suspension
- 10 year corrosion warranty




CE IP43 F

### S115C Tamarama

LAMP	WATTAGE	VOLTAGE	IP
MR11	20Wmax	12V	43


- Decorative tube pendant
- Solid copper body
- Comes with 1 metre of brass chain
- Recommended lamp 2W LED (SSMR112453000)
- 10 year corrosion warranty



### S110C Byron

LAMP	WATTAGE	VOLTAGE	IP
MR16	35Wmax	12V	65


- Adjustable ground-mounted spike spotlight
- Solid copper body
- Solid copper spike
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty

LED  
ONLY

### S109C Cronulla

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	6W	12V DC	67


- LED bollard area light with anti-glare design and flange base
- Solid copper body
- Solid copper base
- 3000K
- 480lm
- 10 year corrosion warranty

LED  
ONLY

### S119C Maroubra

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	6W	12V DC	67


- LED bollard area light with anti-glare design and spike base
- Solid copper base
- Cast brass spike
- 3000K
- 480lm
- 10 year corrosion warranty



### S138C Ellis

LAMP	WATTAGE	VOLTAGE	IP
MR16	20Wmax	12V	65

- Single directional spot, ground-mounted spike bollard
- Solid copper body
- Brass knuckle, cast brass spike
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty



### S111C Wategos


LAMP	WATTAGE	VOLTAGE	IP
MR16	2x20Wmax	12V	65

- Twin directional spot, ground-mounted spike bollard
- Solid copper body
- Brass knuckle, cast brass spike
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty





LED ONLY




### S101C Manly

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	5x0.3W	12V DC	67

- Kit of 5 x deck lights, LED driver & 10 metre lead
- Square solid copper face with frosted lens, PC body & spring clips
- 3000K
- 5 x 18lm
- 10 year corrosion warranty



LED ONLY



### S121C Airlie

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	5x0.3W	12V DC	67


- Kit of 5 x deck lights, LED driver & 10 metre lead
- Round solid copper face with frosted lens, PC body & spring clips
- 3000K
- 5 x 18lm
- 10 year corrosion warranty



### S130C Stockton

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	3W	12V DC	67


- Mini recessed in-ground/deck/wall/step light with frosted lens, 1m lead, spring clips and plastic sleeve
- Solid copper cover and body
- 3000K
- 240lm
- Cutout: 36mm without sleeve, 47mm with sleeve. Height of sleeve: 80mm
- 10 year corrosion warranty



### S131C Norfolk

LAMP	WATTAGE	VOLTAGE	IP
MR16	50Wmax	12V	65


- In-ground adjustable uplighter
- Solid copper cover, 316 marine grade stainless steel body with PVC sleeve
- Recommended lamp 5W COB LED (SSMR165603000)
- Diameter: 150mm
- 10 year corrosion warranty



### S134C Altona

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	25W	12V DC	67

- In-ground adjustable uplighter
- Solid copper cover, anodised aluminium body, PVC sleeve
- Tilt: 25°
- 3000K
- 2520lm
- Diameter: 242mm
- 10 year corrosion warranty



### S132C Mandalay


LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	25W	240V	67

- In-ground adjustable uplighter
- Solid copper cover, anodised aluminium body, PVC sleeve
- Tilt: 25°
- 3000K
- 2520lm
- Diameter: 242mm
- 10 year corrosion warranty

# SOLID BRONZE RANGE



LED  
ONLY




CE IP65

## S401B Cottesloe

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	3W	12V DC	65

- LED wall light/step light
- Solid Bronze
- 3000K
- 240lm
- 20 year warranty against corrosion
- Requires constant voltage driver






CE IP65

### S402B Boomerang

LAMP	WATTAGE	VOLTAGE	IP
G4 bi-pin	20Wmax	12V	65

- Wall light
- Solid Bronze
- Recommended lamp 3.5W LED (SSG43.2WW)
- 20 year warranty against corrosion





CE IP65

### S403B Torquay

LAMP	WATTAGE	VOLTAGE	IP
G4 bi-pin	20Wmax	12V	65

- Wall light
- Solid Bronze
- Recommended lamp 3.5W LED (SSG43.5WW)
- 20 year warranty against corrosion




LED  
ONLY

CE IP65

### S404B Glenelg

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	3W	12V DC	65

- LED wall light/step light
- Solid Bronze
- 3000K
- 240lm
- Requires Constant Voltage 12V DC Driver
- 20 year warranty against corrosion


LED  
ONLY

CE IP65

### S405B Kirra

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	2x3Wmax	12V DC	65

- LED wall light/step light
- Solid Bronze
- 3000K
- 480lm
- Requires Constant Voltage 12V DC Driver
- 20 year warranty against corrosion


LED  
ONLY

CE IP65

### S406B Tangalooma

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	2x6W	Low Voltage	65

- LED up/down wall light
- Solid Bronze
- 3000K
- 960lm
- Requires 20W 350mA constant current driver per fitting
- Must be wired in series
- 20 year corrosion warranty
- Registered Design Number 344474

LED  
ONLY


CE IP65

### S408B Coolum

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	2x6W	Low Voltage	65


- LED up/down wall light
- Solid Bronze
- 4000K
- 1284lm
- Requires 20W 350mA constant current driver per fitting
- Must be wired in series
- 20 year corrosion warranty
- Registered Design Number 344474








# SOLID BRASS RANGE



## S410B Bramston

LAMP	WATTAGE	VOLTAGE	IP
MR16	35Wmax	12V	65


- Adjustable ground-mounted spike spotlight
- Solid brass body
- Solid brass spike
- Aged brass finish
- Recommended lamp 5W COB LED (SSMR165603000)
- 10 year corrosion warranty



## S411B Casuarina

LAMP	WATTAGE	VOLTAGE	IP
GU10	2x20Wmax	240V	65

- Fixed up/down wall light
- Solid brass body
- Solid brass base
- Aged brass finish
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty




CE IP65

## S412B Kalbarri

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	65

- Fixed wall downlight
- Solid brass body
- Solid brass base
- Aged brass finish
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty




CE IP65

## S413B Marrawah

LAMP	WATTAGE	VOLTAGE	IP
GU10	50Wmax	240V	65

- Adjustable spotlight
- Solid brass body
- Solid brass base
- Aged brass finish
- Recommended lamp 5W COB LED (SSGU105603000)
- 10 year corrosion warranty



CE IP65


## S414B Bridport

LAMP	WATTAGE	VOLTAGE	IP
GU10	2x50Wmax	240V	65

- Adjustable twin spotlight
- Solid brass body
- Solid brass base
- Aged brass finish
- Recommended lamp 2 x 5W LED (SSGU105603000)
- 10 year corrosion warranty



LED ONLY



CE IP68

## S415B Johanna


LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	1W	12V	68

- Mini recessed in-ground/deck/wall/step light
- Solid brass body
- Aged brass finish
- 3000K
- 10 year corrosion warranty










CE IP54

## S416B Eimeo

LAMP	WATTAGE	VOLTAGE	IP
GU10	2x20Wmax	240V	54

- Adjustable twin spotlight
- Solid brass body
- Solid brass base
- Aged brass finish
- Recommended lamp 2 x 5W LED (SSGU105603000)
- 10 year corrosion warranty




CE IP54

## S417B Neds

LAMP	WATTAGE	VOLTAGE	IP
GU10	3x20Wmax	240V	54

- Adjustable triple spotlight
- Solid brass body
- Solid brass base
- Aged brass finish
- Recommended lamp 3 x 5W LED (SSGU105603000)
- 10 year corrosion warranty




CE IP20

## S418B Ulladulla

LAMP	WATTAGE	VOLTAGE	IP
LED Module	50Wmax	12V	20

- Adjustable recessed internal/external downlight
- Aged brass finish face with 316 marine grade stainless steel body
- Comes with heat shield canister
- Lamp and driver sold separately
- Recommended lamp 9W LED Module (SSMOD9453000)
- Hole cutout size: 90mm
- 10 year corrosion warranty




CE IP54

## S419B Rottnest

LAMP	WATTAGE	VOLTAGE	IP
G4 LED	6Wmax	12V	54


- Path light
- Solid brass with aged finish
- Clear PC diffuser
- Recommended lamp 3.2W LED (SSG43.2WW)
- 10 year corrosion warranty



### S2027B Eden

LAMP	WATTAGE	VOLTAGE	IP
E27	75W	240V	54


- Solid cast brass bunker with sand blasted glass diffuser
- Suitable for coastal environments
- 10 year corrosion warranty



### S2028B Scarborough

LAMP	WATTAGE	VOLTAGE	IP
E14	40W	240V	54


- Solid cast brass bunker with sand blasted glass diffuser
- Suitable for coastal environments
- 10 year corrosion warranty



### S2427B Queenscliff

LAMP	WATTAGE	VOLTAGE	IP
E27	75W	240V	54


- Solid cast brass bunker with sand blasted glass diffuser
- Suitable for coastal environments
- 10 year corrosion warranty



### S2434B Fremantle

LAMP	WATTAGE	VOLTAGE	IP
E27	100W	240V	54


- Solid cast brass bunker with sand blasted glass diffuser
- Suitable for coastal environments
- 10 year corrosion warranty



### S2034B Shoalhaven

LAMP	WATTAGE	VOLTAGE	IP
E27	100W	240V	54


- Solid cast brass bunker with sand blasted glass diffuser
- Suitable for coastal environments
- 10 year corrosion warranty



### S2035B Barrenjoey

LAMP	WATTAGE	VOLTAGE	IP
E27	60W	240V	54

- Solid cast brass bunker with sand blasted glass diffuser
- Suitable for coastal environments
- 10 year corrosion warranty



### S2036B Mornington

LAMP	WATTAGE	VOLTAGE	IP
E27	40W	240V	54

- Solid cast brass bunker with sand blasted glass diffuser
- Suitable for coastal environments
- 10 year corrosion warranty





S3123B Hobart

LAMP	WATTAGE	VOLTAGE	IP
E27	100Wmax	240V	44


- Decorative wall bracket
- Solid brass with aged patina
- Glass lamp cover
- 10 year corrosion warranty



S1894B Albany

LAMP	WATTAGE	VOLTAGE	IP
E27	100Wmax	240V	44

- Decorative wall bracket
- Solid brass with aged patina
- Glass lamp cover
- 10 year corrosion warranty




S3364B Clontarf

LAMP	WATTAGE	VOLTAGE	IP
E27	100Wmax	240V	44

- Decorative wall bracket
- Solid brass with aged patina
- Glass lamp cover
- 10 year corrosion warranty


# SOLAR LED BOLLARDS



**S014BK Rainbow**

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	1.8W	6.4V battery	65

- Solar powered LED mini bollard area light
- Powder-coated die-cast aluminium
- 3000K
- 250lm
- No cable required
- 1 year anti-corrosion warranty



**S019BK Sunshine**

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	3.5W	6.4V battery	65

- Solar powered LED bollard area light
- Powder-coated die-cast aluminium
- 3000K
- 425lm
- No cable required
- 1 year anti-corrosion warranty

# LED STRIPS




## SS4.8ST2700

VOLTAGE	WATTAGE	IP	LUMENS/M
12V DC	4.8/m	68	380

## SS9.6ST2700

VOLTAGE	WATTAGE	IP	LUMENS/M
12V DC	9.6/m	68	640

- LED flexible strip with 3M self adhesive tape back
- 2700K very warm white
- Stable working performance and even light output
- Suitable for both indoor and outdoor applications
- Dimmable with compatible driver





# INTERIOR/EXTERIOR ADJUSTABLE LED DOWNLIGHT



## 162700 Pearl

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	13W	240V	44

- Adjustable LED downlight (dims to zero)
- Trim: matte white
- 2700K
- 760lm, beam angle: 90°, tilt: 15°
- Complete with dimmable driver & flex plug
- Recommended dimmer: Diginet 'Smart' LED dimmer (C-Bus compatible)
- Coastal applications, recommended internal use only
- Certifications: CE, RoHS, SAA
- 5-year warranty

## 163000 Pearl

LAMP	WATTAGE	VOLTAGE	IP
Built-in LED	13W	240V	44


- Adjustable LED downlight (dims to zero)
- Trim: matte white
- 3000K
- 760lm, beam angle: 90°, tilt: 15°
- Complete with dimmable driver & flex plug
- Recommended dimmer: Diginet 'Smart' LED dimmer (C-Bus compatible)
- Coastal applications, recommended internal use only
- Certifications: CE, RoHS, SAA
- 5-year warranty

# DIMMABLE LED LAMPS


## PRO5 COB 5W



### MR16



### GU10



### 2700K – Very Warm White

#### SSMR165152700

VOLTAGE	BEAM	LUMENS
12V	15°	320lm

#### SSMR165452700

VOLTAGE	BEAM	LUMENS
12V	45°	320lm

#### SSMR165602700

VOLTAGE	BEAM	LUMENS
12V	60°	320lm

### 3000K – Warm White

#### SSMR165153000

VOLTAGE	BEAM	LUMENS
12V	15°	380lm

#### SSMR165453000

VOLTAGE	BEAM	LUMENS
12V	45°	380lm

#### SSMR165603000

VOLTAGE	BEAM	LUMENS
12V	60°	380lm

### 4000K – Cool White

#### SSMR165154000

VOLTAGE	BEAM	LUMENS
12V	15°	410lm

#### SSMR165454000

VOLTAGE	BEAM	LUMENS
12V	45°	410lm

#### SSMR165604000

VOLTAGE	BEAM	LUMENS
12V	60°	410lm

#### SSGU105152700

VOLTAGE	BEAM	LUMENS
240V	15°	320lm

#### SSGU105452700

VOLTAGE	BEAM	LUMENS
240V	45°	320lm

#### SSGU105602700

VOLTAGE	BEAM	LUMENS
240V	60°	320lm

#### SSGU105153000

VOLTAGE	BEAM	LUMENS
240V	15°	380lm

#### SSGU105453000

VOLTAGE	BEAM	LUMENS
240V	45°	380lm

#### SSGU105603000

VOLTAGE	BEAM	LUMENS
240V	60°	380lm

#### SSGU105154000

VOLTAGE	BEAM	LUMENS
240V	15°	410lm

#### SSGU105454000

VOLTAGE	BEAM	LUMENS
240V	45°	410lm

#### SSGU105604000

VOLTAGE	BEAM	LUMENS
240V	60°	410lm

## PRO13 MOD 13W

\*Complete module not shown in image



### MODULE

Complete with flex and plug.

Phase dimmable

### 2700K – Very Warm White

#### SSMOD13602700

VOLTAGE	BEAM	LUMENS	IP
240V	60°	1200lm	20

### 3000K – Warm White


#### SSMOD13603000

VOLTAGE	BEAM	LUMENS	IP
240V	60°	1295lm	20

### 4000K – Cool White

#### SSMOD13604000


VOLTAGE	BEAM	LUMENS	IP
240V	60°	1490lm	20



## PRO2 2W



## MR11



3000K – Warm White

SSMR112453000

VOLTAGE	BEAM	LUMENS
12V AC/DC	45°	160lm

## G9 3.5W



## G9



3000K – Warm White


SSG9WW

VOLTAGE	LUMENS
240V	280lm

## G4 BI-PIN 3.2W



## G4



3000K – Warm White

SSG43.2WW

VOLTAGE	LUMENS
12V	255lm



# WEATHERPROOF LED DRIVERS

## NON-DIMMABLE

### CONSTANT VOLTAGE



**LULED15EXT**

VOLTAGE	WATTAGE	IP
12V DC	15	67

**LULED30EXT**

VOLTAGE	WATTAGE	IP
12V DC	30	67



**LULED60EXT**

VOLTAGE	WATTAGE	IP
12V DC	60	67



**LULED100EXT**

VOLTAGE	WATTAGE	IP
12V DC	100	67

**LULED200EXT**

VOLTAGE	WATTAGE	IP
12V DC	200	67

**LULED300EXT**

VOLTAGE	WATTAGE	IP
12V DC	300	67

## DIMMABLE

### CONSTANT VOLTAGE



**A11-12VDC30WIP67**

VOLTAGE	WATTAGE	IP
12V DC	30	67



**A11-12VDC60WIP67**

VOLTAGE	WATTAGE	IP
12V DC	60	67



**A11-12VDC100WIP67**

VOLTAGE	WATTAGE	IP
12V DC	100	67

**A11-12VDC150WIP67**

VOLTAGE	WATTAGE	IP
12V DC	150	67



## IP Rating (BS775)

SEASIDE exterior light fittings are designed and manufactured to very high standards and thus achieve high IP ratings. The IP ratings for each fitting are indicated in this catalogue.

### IP Rating table

Table from BS775 defining IP numbers, protection of person against contact with live or moving parts inside the enclosure. Protection of equipment against ingress of solid bodies and protection against liquids, that might cause danger to persons.

#### FIRST NUMBER

Protection against solid objects

##### IP Test

- |   |  |
|---|--|
| 0 | No protection  |
| 1 | Protected against solid objects up to 50mm<br>e.g. accidental touch of hands |
| 2 | Protected against solid objects up to 12.5mm<br>e.g. fingers                 |
| 3 | Protected against solid objects up to 2.5mm<br>e.g. tools, small wires       |
| 4 | Protected against solid objects up to 1mm<br>e.g. tools, small wires         |
| 5 | Protected against dust limited ingress<br>permitted (no harmful deposit)     |
| 6 | Totally protected against dust   |

#### SECOND NUMBER

Protection against liquids

##### IP Test

- |   |  |
|---|--|
| 0 | No protection  |
| 1 | Protected against vertical drops of water  |
| 2 | Protected against direct sprays of water<br>up to 15° from the vertical                          |
| 3 | Protected against direct sprays of water<br>up to 60° from the vertical                          |
| 4 | Protected against direct water sprayed<br>from all directions                                    |
| 5 | Protected against low pressure jets of water<br>from all directions – limited ingress permitted  |
| 6 | Protected against strong jets of water e.g. for<br>use on ship decks – limited ingress permitted |
| 7 | Protected against the effects of immersion   |
| 8 | Protected against the effects of submersion  |

## Lamp recommendations

Our luminaires are designed for use with both halogen and LED lamps.

LEDs are energy efficient and available in warm colour temperatures that are similar to halogen. LED Lamps operate at a lower temperature compared to halogen lamps and are recommended for areas where children are able to reach/touch the luminaire.

We recommend either 2700K (Very Warm White) or 3000K (Warm White) LED lamps to create ambient lighting for landscaped areas and feature walls. 4000K (Cool White) is recommended for task lighting such as a spot light over a BBQ.

### Selection of luminaires by suitability

Our Solid Stainless Steel luminaires are made from 316 Marine Grade Stainless Steel. This grade of steel has anti-corrosive properties and is suitable for coastal environments within 5km of the ocean. 316 Marine Grade Stainless Steel is an excellent option for anyone seeking durable stainless steel lighting.

Our Solid Copper and Brass luminaires are very durable and suitable for all areas, including coastal environments. Copper and Brass will change over time from a polished look to a natural patina. This is purely aesthetic and will not compromise the structural integrity.

Our Solid Bronze luminaires are extremely durable and suitable in all areas, including coastal environments. Bronze will slowly darken over time, however, the structural integrity will remain unchanged.



## Maintenance (cleaning) for stainless steel luminaires

Stainless steel features as the main exterior metal of many luminaires; many of us recognise that stainless steel is intrinsically attractive however these fittings require maintenance like all others.

Stainless steel enjoys a strong and enduring reputation for long term appearance and structural integrity. But like all materials stainless steel may become stained or discoloured over time, impairing the overall look. This brown discolouration is referred to as "tea staining". Tea staining can be defined as: Discolouration of the surface of stainless steel that does not affect the structural integrity or the longevity of the material.

Perform regular maintenance; washing removes contaminants (such as salt) that cause corrosion and is necessary to avoid tea staining. Rain washing over the surface is also helpful in reducing tea staining. For best results wash with soap or mild detergent and warm water followed by rinsing with clean cold water.

## 5 year warranty

The following products are warranted against metal corrosion for five years from date of purchase, subject to our warranty conditions, as set out below.

**All luminaires from our 316 marine grade stainless steel range**

## 10 year warranty

The following products are warranted against metal corrosion for ten years from date of purchase, subject to our warranty conditions, as set out below.

**All luminaires from our copper and brass range**

## 20 year warranty

The following products are warranted against metal corrosion for twenty years from date of purchase, subject to our warranty conditions, as set out below.

**All luminaires from our solid bronze range**

## Wiring warranty

There is a 1 year warranty on all wiring and electrical components.

## Warranty conditions

Warranties are conditional on the following:

Proof of purchase, by way of supplier invoice, clearly showing invoice number and date of purchase.

Seaside Lighting reserves the right to repair or replace, at its own discretion, any product deemed to have a manufacturing and/or workmanship defect.

Warranty may be void if the light fitting has been damaged, incorrectly installed, or modified.

It is a requirement that all 240V lighting is installed by a qualified electrician. Failure to adhere to this regulation may void this warranty.

## 1. General

(A) These Terms of Sale ("Terms") apply to the supply of and all offers for the supply of goods and services by LIGHTEX PTY LTD ABN 59 159 725 130 trading as SEASIDE LANDSCAPE LIGHTING ("SEASIDE").

(B) These Terms must be read in conjunction with any additional written terms of sale offered by SEASIDE including any additional terms which may appear in current SEASIDE price lists.

© Except as otherwise expressly agreed in writing between SEASIDE and a purchaser, these Terms prevail over any inconsistent terms which may appear in the order form or in any other communication by or from a purchaser.

## 2. Settlement terms

(A) Nett thirty (30) Days from the end of the month of invoicing.

## 3. Delivery value

Invoiced orders in excess of \$250 (exc. GST) will be delivered FIS (Free In Store) within Australia. Orders under \$250 (exc. GST) will incur a \$25 (+GST) Freight and Handling Fee.

## 4. Conditions of sale

(A) Immediately on delivery to the Purchaser, the risk in the goods shall pass to the Purchaser. Notwithstanding this, title to the goods shall remain with SEASIDE until all moneys owing by the Purchaser to SEASIDE have been paid in full and the Purchaser shall hold the goods as bailee thereof only subject to its rights to deal with the goods in the ordinary course of business on the basis that any moneys received as a result of such dealing shall be held by the Purchaser for the benefit of SEASIDE and SEASIDE shall have the right to enter the premises of the Purchaser to recover any goods in which it has title.

(B) Property in the goods shall not pass to the Purchaser until full payment for such goods has been received by SEASIDE. In the case of payment by cheque or bill of exchange or note, full payment is not deemed made until same is honoured.

(C) Orders will not be processed for any account which has amounts outstanding for longer than 60 days from date of statement.

(D) The Purchaser authorises SEASIDE to appropriate any payment to particular goods, including goods no

longer in the possession or control of the Purchaser, unless the Purchaser expressly appropriates such payment to particular goods and communicates such appropriation to SEASIDE at the time of payment.

(E) Goods delivered to the Purchaser for which payment has not been received and appropriated shall remain the property of SEASIDE and the Purchaser shall hold such goods on behalf of SEASIDE.

(F) SEASIDE may at any time without notice retake possession of such goods but the Purchaser shall not be entitled to return the goods except in accordance with condition 5.

(G) If it becomes necessary to institute legal proceedings to recover unpaid debts to SEASIDE, all discounts showing on unpaid invoices become null and void and the total list prices showing become payable.

(H) Nothing in these clauses shall affect our rights as an unpaid seller.

(I) Errors or omission of a clerical or mechanical nature on invoices, delivery dockets, statements, price lists, price changes, discounts, monthly specials or on the face hereof are subject to correction by SEASIDE.

(J) While every effort will be made to adhere to the required delivery times, SEASIDE shall not be liable for any failure to procure or deliver, or for any delay in procurement or delivery of goods to the Purchaser arising from any cause beyond SEASIDE'S control.

(K) It is agreed and declared that SEASIDE is not a common carrier and that in the event of loss or damage in transit as a result of an act, neglect or default attributable to SEASIDE, SEASIDE'S liability to the Purchaser shall be limited to and completely discharged by either the replacement or the repair of any goods so lost or damaged. ANY CLAIMS AGAINST SEASIDE FOR SUCH LOSS OR DAMAGE TO THE GOODS MUST BE MADE WITHIN FOUR (4) DAYS OF THE DATE OF DELIVERY.

(L) No cancellation or partial cancellation of an order by the Purchaser will be accepted by SEASIDE unless it has first consented in writing to such cancellation or partial cancellation.

(M) All descriptive and forwarding specifications, drawings, particulars, dimensions, weights, and all publicity and promotional material issued by SEASIDE is intended to be illustrative only. None of the foregoing nor any particulars or representations contained therein shall form part of and not be deemed to have been incorporated in any contract

with SEASIDE.

(N) Every care is used in the packing, but unless agreed, no responsibility is taken for loss or damage in transit.

(O) Goods shown in SEASIDE'S price list or catalogue are those that SEASIDE considers its normal lines. SEASIDE reserves the right to add and delete lines at its discretion and does not warrant the availability, whether express or implied, or any lines it may from time to time advertise.

(P) Unless otherwise agreed, it's the purchaser's responsibility to obtain and provide access, services, facilities, permits, approvals or licences as may be necessary or convenient for the delivery of goods and provisions of services.

(Q) In the event of default by the purchaser SEASIDE may, without prejudice to any other rights or remedies open to it, terminate a contract or suspend or continue delivery at SEASIDE'S option always reserving to SEASIDE all rights to recover any loss consequent upon any such cancellation or suspension.

## 5. Credits claims/returns

(A) SHORT DELIVERIES: (INVOICE NUMBER AND DATE MUST BE QUOTED ON ALL CLAIMS) — All claims for short deliveries MUST be made to our office within 7 DAYS FROM RECEIPT OF GOODS. NO CLAIMS for short delivery can be recognised after this time.

(B) PRICING & DISCOUNTS: (INVOICE NUMBER AND DATE MUST BE QUOTED ON ALL CLAIMS) To assist us in reconciling and maintaining your account, any query you may have on your invoice re pricing, discount, should be forwarded to our office as quickly as possible after receipt of your invoice.

If we agree to accept goods back, we will advise the mode of transport acceptable to us. Freight will not be paid on goods returned by means other than those nominated by SEASIDE.

(i) Valid claims for incorrect goods sent will be credited in full provided we are notified within 7 DAYS of receipt of goods. Claims over 7 DAYS cannot be recognised.

(ii) Return of goods after 7 DAYS will be SEASIDE'S discretion and subject to a 20% restocking fee. Goods returned must be in original packing, unsoiled, undamaged and still current catalogue items.

(iii) Goods returned in an unsaleable condition — (i.e

other than as above) cannot be accepted back for credit and will be returned "freight-on" to the sender.

(iv) Faulty goods MUST first be inspected by our Representative, who will then arrange for their return if acceptable.

(v) Goods imported especially for customer, or nonstandard goods made to special order, cannot be returned and/or credited under any circumstances,

(vi) Except for goods which are determined by SEASIDE in writing to be defective or to have been shipped in error and are returnable to the extent specifically provided in these Trading Terms & Conditions, all sales are final and goods are not returnable.

## 6. Goods not supplied on orders (back orders/cancellations; etc)

(A) Back orders will be dispatched by SEASIDE as soon as possible and the Purchaser will accept delivery when received unless SEASIDE is advised when the order is placed that the order is subject to delivery within a certain period.

(B) Back orders will be held at our discretion unless advised otherwise and if below the minimum delivery value [see 3(A)], they will be forwarded with the next order placed.

## 7. Warranties

(A) The only conditions and warranties which are binding on SEASIDE in respect of the state, quality or condition of the goods supplied by it to the Purchaser are those implied and required to be binding by statute and cannot be excluded (including the Trade Practices Act, 1974) and to the extent permitted thereby the liability, if any, of SEASIDE arising from the breach of such conditions or warranties shall, at SEASIDE'S option, be limited to and completely discharged by either the replacement or repair by SEASIDE of the goods supplied to the Purchaser and otherwise all conditions and warranties whether express or implied by law in respect of the state, quality or condition of the said goods which may apart from this clause be binding on SEASIDE are hereby expressly excluded and negated.

(B) Except to the extent provided in 7(A) SEASIDE shall have no liability (including liability in negligence) to any person for any loss or damage consequential or otherwise howsoever suffered or incurred by any such person in relation to the goods and without



limiting the generally thereof in particular any loss or damage consequential or otherwise howsoever suffered or incurred by any such person caused by or resulting directly or indirectly from any failure, breakdown, defect or deficiency or whatsoever nature of kind of or in the goods.

(C) Upon receipt of goods returned for repair or replacement, SEASIDE will determine whether those goods qualify for repair or replacement and if they do not, SEASIDE will notify the Purchaser of the estimated costs of repair or replacement involved and will obtain the Purchaser's authorization prior to proceeding. SEASIDE shall have no liability to pay any costs of repair performed by anyone other than SEASIDE, unless in each instance SEASIDE has given prior written approval of such repair in which case SEASIDE will pay the amount that SEASIDE considers to be the reasonable cost hereof.

## 8. Price changes

(A) All prices detailed in SEASIDE Net Price List are current at the time of printing and subject to change without notice.

(B) The unit price contained in any quotation shall be based on quantities of goods referred to in the quotation. Should there be any variation in the total quantity of goods ordered from that quoted then SEASIDE reserves the right to amend the unit price quoted.

## 9. Net pricing

All prices in SEASIDE published Net Price List are a net wholesale price excluding GST and are not subject to any further discount unless specifically agreed to. All orders shipped at prices in effect at the time of shipment and all previous net pricing will be regarded as automatically cancelled.

## 10. Patents

To the best of SEASIDE'S information and belief, its goods do not infringe any third parties' Australian patent rights. SEASIDE, however, shall have no liability whatsoever to the Purchaser or its customers where any claim or proceedings are brought against the Purchaser or its customers based upon any allegation that SEASIDE'S goods, or any part thereof, infringe such rights.

## 11. Legal construction

These Trading Terms & Conditions shall be governed and interpreted according to the laws of New South Wales.

## 12. Non-waiver


No waiver or modification of any of the Trading Terms & Conditions shall be effective unless such waiver or modification is in writing and signed by an authorised representative of SEASIDE. Should you have any query please discuss with our representative or contact any of our phone sales departments.

## 13. Goods and services tax

All prices quoted are exclusive of GST. All goods subject to GST will be invoiced at price plus GST and detailed on a tax invoice.







Unit 5, 21-23 Tasman Way  
Byron Bay NSW 2481 Australia

Tel 02 6680 7766  
Fax 02 6680 7008

[info@seasidelighting.com.au](mailto:info@seasidelighting.com.au)  
[seasidelighting.com.au](http://seasidelighting.com.au)